


Specification Sheet

Part Number: 596-00377



Pre-Printed Header Label, DANGER, 2.75" x 5.50", PET, Red, 250/roll

Article Number

596-00377

Type

DV55X275

Color

Red (RD)

Features & Benefits

- Pre-Printed Signal Word labels come with the header pre-printed in colors so that only one color of ribbon is needed to complete the message panel. • Labels are pre-made to the most recent ANSI standards so that code compliance is assured. • Pre-Printed Signal Panel labels can be printed using standard thermal transfer printers to reduce labor, eliminate minimum orders and allow the user to create labels on demand when needed.

Quantity Per

roll

Product Description

Pre-Printed Signal Word Labels come pre-printed with NOTICE, CAUTION, DANGER and SAFETY headers in blue, yellow, red and green as defined by ANSI Z535. The variable body text can be printed using TagPrint Pro labeling software and the HellermannTyton line of thermal transfer printers or any standard thermal transfer printer. Only one color needs to be printed to complete the label, saving time and money.

| | |
|---------------------------------------|---|
| Short Description | Pre-Printed Header Label, DANGER, 2.75" x 5.50", PET, Red, 250/roll |
| Global Part Name | DV55X275-PET-RD |
| Technical Description | Pre-Printed Header Label, DANGER, 2.75" X 5.5", Red |
| Width W (Imperial) | 2.75 |
| Width W (Metric) | 69.85 |
| Thickness T (Metric) | 64.0 |
| Height H (Imperial) | 5.5 |
| Height H (Metric) | 139.7 |
| Width of Liner (Metric) | 71.12 |
| Width of Liner (imperial) | 2.80 |
| Material | Polyester (PET) |
| Material Shortcut | PET |
| Adhesive | Acrylic |
| Halogen free | No |
| Adhesive Operating Temperature | -40°F to +302°F (-40°C to +150°C) |

Operating Temperature (Metric)

-40°F to +302°F (-40°C to +150°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

250

Package Quantity (Metric)

250

Customs Number

3926909987

Labels per Column

1

Labels per Row

1

Weight (Metric)

0.521

Weight (Imperial)

1.14