


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	KIH	DATE	DWN	APVD
GP	00					
	L	REVISED PER ECO-09-001588		25JUN2009	CJV	CWR



- 1 FOR MINI APPLICATOR.
- 2 FINISH: GOLD FLASH ALL OVER .000015 GOLD ON CONTACT AREA OVER .000050 MIN THK NICKEL OVER ENTIRE CONTACT,
-OR-
GOLD FLASH OVER PALLADIUM-NICKEL, .000015 MIN TOTAL THK IN LOCALIZED CONTACT PLATING AREA AND GOLD FLASH ON REMAINDER OVER .000050 MIN NICKEL ON ENTIRE CONTACT.
- 3. FOR 22-24 AWG WIRE WITH AN INSULATION RANGE OF .040-.056 DIA.

2	86658-2	1	86656-2
FINISH	LOOSE PIECE PART NO.	PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. GALLUCCI	6-27-89	Tyco Electronics Corporation Harrisburg, PA 17105-3608		
DIMENSIONS: INCHES		CHK	D. L. ROCKER	6-28-89			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G.D. MILLER	6-29-89	NAME		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± -		PRODUCT SPEC		108-9024		CONTACT, PIN, .025 SQ, ROUND WIRE, .100 CENTERLINE, FFC	
MATERIAL: PHOS. BRONZE		FINISH: SEE TABLE		APPLICATION SPEC		114-16003	
		WEIGHT		-		SIZE	A2
		CUSTOMER DRAWING		CAGE CODE		00779	
		SCALE		8:1		DRAWING NO	C=86656
		SHEET		1 of 1		RESTRICTED TO	-
		REV		L			